POPULATION ESTIMATES	LONG-TERM CARE	LOCAL HEALTH DEPARTMENTS
Total 2002 Population 5,461,710	Community Options and MA Waiver Programs	Per 10,000
Population per square mile 101	1	Staffing FTE Number Donulation
County ranking in state (1-72) .	Clients Costs COP 1,651 \$23,794,479 MA_Waiver *	lotal staff 2,175 4.0 Administrative 275 0.5
Age Female Male Total	MA Waiver *	Professional staff 1,233 2.3
0-14 535,030 561,790 1,096,820 15-19 199,820 209,580 409,400	CIP1A 1,132 \$68,201,808	Total staff 2,175 4.0 Administrative 275 0.5 Professional staff 1,233 2.3 Technical/Paraprof. 234 0.4 Support staff 433 0.8
15-19 199,820 209,580 409,400 20-24 194,340 201,230 395,570	CIP1 8,896 \$237,392,021 CIP2 3,641 \$46,122,693	
25-29 159,820 168,550 328,370	COP-W 9,376 \$75,374,858	Funding Per capita Total \$119,216,441 \$21.86
30-34 180,050 185,870 365,920 35-39 206,230 207,710 413,930	CIP1A 1,132 \$68,201,808 CIP1B 8,898 \$237,592,021 CIP2 3,641 \$46,122,693 COP-W 9,376 \$75,374,858 CSLA 231 \$1,333,608 Brain Injury 268 \$14,735,218	Local Taxes \$61,542,132 \$11.28
40-44 226,620 226,680 453,300	Total COP/Wvrs 25,197 \$467,154,685	
45-54 391,420 396,400 787,810 55-64 255,300 246,220 501,520	\$31,147,367 of the above waiver costs	LICENSED ESTABLISHMENTS
65-74 187,660 161,850 349,510	were paid as local match/overmatch	Type Capacity Facilities
75-84 152,680 103,330 256,010 85+ 72,860 30,680 103,540	using COP funds. This amount is not included in above COP costs.	Type Capacity Facilities Bed & Breakfast 2,310 668 Camps 54,037 1,099 Hotels, Motels 98,311 3,139 Tourist Rooming 8,176 2,973
Total 2,761,820 2,699,890 5,461,710		Hotels, Motels 98,311 3,139
Age Female Male Total	* Waiver costs reported here include federal funding.	Tourist Rooming 8,176 2,973 Pools 2,738
0-17 653,320 685,370 1,338,690		Restaurants 13,466
18-44 1,048,590 1,076,040 2,124,620 45-64 646,720 642,620 1,289,330	Clients Costs	Vending 484
65+ 413,200 295,860 709,060	Eligible and Waiting 8,749 n/a	
Total 2,761,820 2,699,890 5,461,710	Family Care 8,242 \$133,385,985	WIC PARTICIPANTS
Poverty Estimates for 2000		WIC FAMILOIFANIS
Estimate (C.I.+/-)	Note: In 2002, five counties piloted the Family Care Waiver. Eligible	Number 51 660
8.7% (0%)	and waiting clients will be phased	Pregnant/Postpartum 51,669 Infants 55,402
All ages 464,714 2,860 8.7% (0%) Ages 0-17 153,051 1,619 11.2% (1%)	into Family Care. Hence, clients	Infants 55,402 Children, age 1-4 74,541
11.2% (1%)	into Family Care. Hence, clients can incur costs for COP/Waivers and Family Care.	Total 181,637
EMPLOYMENT	[CANCER INCIDENCE (2000)
Average wage for jobs covered by unemployment compensation \$32,422	Home Health Agencies 145 Patients 68,834	Primary Site Breast 3,893
Note: based on place of work	Patients pan 10 000 pan 126	Cervical 294
Annual Labor Force Estimates Average	Nursing Homes 443	Colorectal 3,110 Lung and Bronchus 3,160
	Licensed beds 45,094	Prostate 3,908
Civilian Labor Force 3,024,778 Number employed 2,858,197	Occupancy rate 85.4% Residents on Dec 31 38 242	Prostate 3,908 Other sites 9,708 Total 24,073
Number unemployed 166,581	Residents age 65 or older	24,070
Annual Labor Force Estimates Average Civilian Labor Force 3,024,778 Number employed 2,858,197 Number unemployed 166,581 Unemployment rate 5.5%	per 1,000 population 48	Note: Totals shown are for invasive cancers only.
· · · · · · · · · · · · · · · · · · ·	l	

			NATA	LITY				
TOTAL LIVE BIRTHS		68,510	Birth Order First Second Third Fourth or higher Unknown First Prenatal Visit	Births	Percent	Marital Status		
		,	First	26.980	39	of Mother	Births	Percent
Crude Live Birth Rate	7	12.5	Second	22,869	33	Married	17 701	70
General Fertility Rat	΄	58.7	Third	11 075	16	Not married Unknown	20,707	30
deficial relitity has	.0	30.7	Fourth or higher	7 578	11	Unknown	20,707	<.5
live hirths with reno	ntad		Inknown	7,570	< 5	OHKHOWH	9	`
Live births with repo	n teu 97	0 1 3%	OTIKITOWIT	0	`	Education		
Congenital anomalies	07	9 1.5%	First Prenatal			of Mother	Births	Percent
Delivery Type	Dintho	Percent	Visit	Births	Percent	Elementary or les		4
	DTI (112	reiteiit	1st trimester	DII (115	84	Some high school	0 440	12
Vaginal after	1 100	0	Ond thimester	0.544	04	Some night school	0,440	
previous cesarean	1,198	2 2	2nd trimester	8,544	12	High school	20,234	30
Forceps	1,086	2	3rd trimester	1,6//	2	Some college	16,454	24
Other Vaginai	52,114	/6	NO VISITS	479	1	College graduate	20,620	30
Primary cesarean	1,086 52,114 8,756 5,356	13	2nd trimester 3rd trimester No visits Unknown	124	<.5	Unknown	240	<.5
Repeat cesarean	5,356	8						
Forceps Other vaginal Primary cesarean Repeat cesarean Other or unknown	0	0	Number of Prenatal		_	Smoking Status		
			Care visits	Births	Percent	of Mother	Births	Percent
Birthweight	Births	Percent	No visits	479	1	Smoker	10,139	15
<1,500 gm	863	1.3	1-4	1,729	3 19	of Mother Smoker Nonsmoker Unknown	58,317 54	85
1,500-2,499 gm	3,686	5.4	5-9	12,760	19	Unknown	54	<.5
2,500+ gm	63,949	93.3	10-12	30,610	45			
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	12	<.5	13+	22,717	33			
			Unknown	215	<.5			
			OTIKTIOWIT	213	`			
			Number of Prenatal Care visits No visits 1-4 5-9 10-12 13+ Unknown					
						 er of First Prenatal	 Visit	
						er of First Prenatal 2nd Trimester	Visit Other/	 Unknown
						er of First Prenatal 2nd Trimester Births Percent	Visit Other/ Births	 Unknown Percent
						er of First Prenatal 2nd Trimester Births Percent 6.366 11	Visit Other/ Births 1.626	 Unknown Percent 3
						er of First Prenatal 2nd Trimester Births Percent 6,366 11 1.364 21	Visit Other/ Births 1,626 478	 Unknown Percent 3 7
						er of First Prenatal 2nd Trimester Births Percent 6,366 11 1,364 21 809 26	Visit Other/ Births 1,626 478 166	Unknown Percent 3 7
						er of First Prenatal 2nd Trimester Births Percent 6,366 11 1,364 21 809 26	Visit Other/ Births 1,626 478 166	Unknown Percent 3 7 5
			Low Birthweight (under 2,500 gm) Births Percent 3,462 5.9 857 13.4 227 7.2 3 12.5	1st Tr: Births 50,920 4,565 2,192 9	Trimest imester Percent 86 71 69 38	er of First Prenatal 2nd Trimester Births Percent 6,366 11 1,364 21 809 26 5 21	Visit Other/ Births 1,626 478 166 10	Unknown Percent 3 7 5 42
Race of Mother White Black Other Unknown			Low Birthweight (under 2,500 gm) Births Percent 3,462 5.9 857 13.4 227 7.2 3 12.5	1st Tr: Births 50,920 4,565 2,192 9	Trimest imester Percent 86 71 69 38	er of First Prenatal 2nd Trimester Births Percent 6,366 11 1,364 21 809 26 5 21 er of First Prenatal	Visit Other/ Births 1,626 478 166 10	Unknown Percent 3 7 5 42
	Births P 58,912 6,407 3,167 24	ercent 86 9 5 <.5	Low Birthweight (under 2,500 gm) Births Percent 3,462 5.9 857 13.4 227 7.2 3 12.5	1st Tr: Births 50,920 4,565 2,192 9	Trimest imester Percent 86 71 69 38 Trimest	er of First Prenatar	VISIL	Hakaowa
Race of Mother White Black Other Unknown	Births P 58,912 6,407 3,167 24 	Percent 86 9 5 <.5	Low Birthweight (under 2,500 gm) Births Percent 3,462 5.9 857 13.4 227 7.2 3 12.5 Low Birthweight (under 2,500 gm) Births Percent	1st Tr: Births 50,920 4,565 2,192 9	Trimest imester Percent 86 71 69 38 Trimest	er of First Prenatar	VISIL	Hakaowa
Race of Mother White Black Other Unknown	Births P 58,912 6,407 3,167 24 	Percent 86 9 5 <.5	Low Birthweight (under 2,500 gm) Births Percent 3,462 5.9 857 13.4 227 7.2 3 12.5 Low Birthweight (under 2,500 gm) Births Percent	1st Tr: Births 50,920 4,565 2,192 9	Trimest imester Percent 86 71 69 38 Trimest	er of First Prenatar	VISIL	Hakaowa
Race of Mother White Black Other Unknown Age of Mother < 15	Births P 58,912 6,407 3,167 24 	Percent 86 9 5 <.5	Low Birthweight (under 2,500 gm) Births Percent 3,462 5.9 857 13.4 227 7.2 3 12.5 Low Birthweight (under 2,500 gm) Births Percent	1st Tr: Births 50,920 4,565 2,192 9	Trimest imester Percent 86 71 69 38 Trimest	er of First Prenatar	VISIL	Hakaowa
Race of Mother White Black Other Unknown Age of Mother <15 15-17	Births P 58,912 6,407 3,167 24 	Percent 86 9 5 <.5	Low Birthweight (under 2,500 gm) Births Percent 3,462 5.9 857 13.4 227 7.2 3 12.5 Low Birthweight (under 2,500 gm) Births Percent	1st Tr: Births 50,920 4,565 2,192 9	Trimest imester Percent 86 71 69 38 Trimest	er of First Prenatar	VISIL	Hakaowa
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19	Births P 58,912 6,407 3,167 24 	Percent 86 9 5 <.5	Low Birthweight (under 2,500 gm) Births Percent 3,462 5.9 857 13.4 227 7.2 3 12.5 Low Birthweight (under 2,500 gm) Births Percent 8 7.4 202 10.6 398 8.8	1st Tri Births 50,920 4,565 2,192 9 1st Tri Births 49 1,157 3,187	Trimest imester Percent 86 71 69 38 Trimest imester Percent 45 61 70	er of First Prenatar	VISIL	Hakaowa
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24	Births P 58,912 6,407 3,167 24 	Percent 86 9 5 <.5	Low Birthweight (under 2,500 gm) Births Percent 3,462 5.9 857 13.4 227 7.2 3 12.5 Low Birthweight (under 2,500 gm) Births Percent 8 7.4 202 10.6 398 8.8	1st Tri Births 50,920 4,565 2,192 9 1st Tri Births 49 1,157 3,187	Trimest imester Percent 86 71 69 38 Trimest imester Percent 45 61 70	er of First Prenatar	VISIL	Unknown Percent 17 9 6 5
Race of Mother White Black Other Unknown	Births P 58,912 6,407 3,167 24 	Percent 86 9 5 <.5 Prtility Rate 16 56 81	Low Birthweight (under 2,500 gm) Births Percent 3,462 5.9 857 13.4 227 7.2 3 12.5 Low Birthweight (under 2,500 gm) Births Percent 8 7.4 202 10.6 398 8.8 1,121 7.1 1.157 5.9	1st Tri Births 50,920 4,565 2,192 9 1st Tri Births 49 1,157 3,187 12,319 17.042	Trimest imester Percent 86 71 69 38 Trimest imester Percent 45 61 70 79 88	2nd Trimester 2nd Trimester Births Percent 41 38 576 30 1,081 24 2,647 17 1,954 10	Other/ Births 18 165 260 722 466	Unknown Percent 17 9 6 5
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	Births P 58,912 6,407 3,167 24 	Percent 86 9 5 <.5 Prtility Rate 16 56 81	Low Birthweight (under 2,500 gm) Births Percent 3,462 5.9 857 13.4 227 7.2 3 12.5 Low Birthweight (under 2,500 gm) Births Percent 8 7.4 202 10.6 398 8.8 1,121 7.1 1.157 5.9	1st Tri Births 50,920 4,565 2,192 9 1st Tri Births 49 1,157 3,187 12,319 17.042	Trimest imester Percent 86 71 69 38 Trimest imester Percent 45 61 70 79 88	2nd Trimester 2nd Trimester Births Percent 41 38 576 30 1,081 24 2,647 17 1,954 10	Other/ Births 18 165 260 722 466 338	Unknown Percent 17 9 6 5
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Births P 58,912 6,407 3,167 24 	Percent 86 9 5 <.5 Prtility Rate 16 56 81	Low Birthweight (under 2,500 gm) Births Percent 3,462 5.9 857 13.4 227 7.2 3 12.5 Low Birthweight (under 2,500 gm) Births Percent 8 7.4 202 10.6 398 8.8 1,121 7.1 1.157 5.9	1st Tri Births 50,920 4,565 2,192 9 1st Tri Births 49 1,157 3,187 12,319 17,042 15,837 6,824	Trimest imester Percent 86 71 69 38 Trimest imester Percent 45 61 70 79 88 90 88	2nd Trimester 2nd Trimester Births Percent 41 38 576 30 1,081 24 2,647 17 1,954 10 1,352 8 706 9	Other/ Births 18 165 260 722 466 338 216	Unknown Percent 17 9 6 5 2 2 3
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Births P 58,912 6,407 3,167 24 	Percent 86 9 5 <.5 Prtility Rate 16 56 81	Low Birthweight (under 2,500 gm) Births Percent 3,462 5.9 857 13.4 227 7.2 3 12.5 Low Birthweight (under 2,500 gm) Births Percent 8 7.4 202 10.6 398 8.8 1,121 7.1 1.157 5.9	1st Tri Births 50,920 4,565 2,192 9 1st Tri Births 49 1,157 3,187	Trimest imester Percent 86 71 69 38 Trimest imester Percent 45 61 70 79 88 90 88 82	2nd Trimester 2nd Trimester Births Percent 41 38 576 30 1,081 24 2,647 17 1,954 10 1,352 8 706 9 185 12	Other/ Births 18 165 260 722 466 338 216 88	Unknown Percent 17 9 6 5 2 2 3 6
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Births P 58,912 6,407 3,167 24 	Percent 86 9 5 <.5 Prtility Rate 16 56 81	Low Birthweight (under 2,500 gm) Births Percent 3,462 5.9 857 13.4 227 7.2 3 12.5 Low Birthweight (under 2,500 gm) Births Percent 8 7.4 202 10.6 398 8.8 1,121 7.1 1,157 5.9 1,019 5.8 523 6.8	1st Tri Births 50,920 4,565 2,192 9 1st Tri Births 49 1,157 3,187 12,319 17,042 15,837 6,824	Trimest imester Percent 86 71 69 38 Trimest imester Percent 45 61 70 79 88 90 88	2nd Trimester 2nd Trimester Births Percent 41 38 576 30 1,081 24 2,647 17 1,954 10 1,352 8 706 9	Other/ Births 18 165 260 722 466 338 216	Unknown Percent 17 9 6 5 2 2 3
Race of Mother White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Births P 58,912 6,407 3,167 24 	Percent 86 9 5 <.5 Prtility Rate 16 56 81 122 97 38 7	Low Birthweight (under 2,500 gm) Births Percent 3,462 5.9 857 13.4 227 7.2 3 12.5 Low Birthweight (under 2,500 gm) Births Percent 8 7.4 202 10.6 398 8.8 1,121 7.1 1,157 5.9 1,019 5.8 523 6.8 119 7.7 2 22.2	1st Tri Births 50,920 4,565 2,192 9 1st Tri Births 49 1,157 3,187 12,319 17,042 15,837 6,824 1,271	Trimest imester Percent 86 71 69 38 Trimest imester Percent 45 61 70 79 88 90 88 82 .	2nd Trimester 2nd Trimester Births Percent 41 38 576 30 1,081 24 2,647 17 1,954 10 1,352 8 706 9 185 12	Other/ Births 18 165 260 722 466 338 216 88 7	Unknown Percent 17 9 6 5 2 2 3 6 78

REPORTED* CASES OF SELECTED DISEASES	Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.							
Disease Number Campylobacter Enteritis 1,159 Giardiasis 694 Hepatitis Type A 197 Hepatitis Type B** 657	Crude Death Ra	ate	46,893 859	Selected Underlying Cause Heart Disease (total) Ischemic heart diseas	Deaths 12,877 se 8.711	Rate 236 159		
Hepatitis NANB/C 4,167	Age 1-4 5-14	Deaths 82	Rate 24 17	Cancer (total) Trachea/Bronchus/Lung	2,799	198 51 19		
Lyme 917	15-14 15-19 20-34	252 956	62 88	Colorectal Female Breast Cerebrovascular Disea	788 se 3,470	29* 64		
Meningitis, Aseptic 186 Meningitis, Bacterial 45	1-4 5-14 15-19 20-34 35-54 55-64 65-74	4,124 4,273	249 852	Lower Resp. Disease Pneumonia & Influenza	2,330 1,286	43 24		
Mumps <5 Pertussis 192 Salmonellosis 902	65 - 74 75 - 84 85+	7,463 13,709 15,435	2,135 5,355 14,908	Accidents Motor vehicle Diabetes	2,234 829 1,353	41 15 25		
Shigellosis 194 Tuberculosis 78		,	,	Diabetes Infect./Parasitic Dis Suicide	. 691 623	13 11		
* 2002 provisional data ** Includes all positive HBsAg	Infant Mortality Total Infant Neonatal	Deaths 471	Rate 6.9	* Rate for female brea on female popula		based		
test results	Neonatal Postneonatal Unknown	324 147	4.7 2.1	ALCOHOL AND DRUG ABUSI OR CONTRIBUTING CA				
Sexually Transmitted Disease Chlamydia Trachomatis 17,063	Race of Mother	-	-	Alcohol	736	13		
Genital Herpes 2,643 Gonorrhea 6,365	White Black	329 118	18.4	Other Drugs Both Mentioned	750			
Syphilis 96	Other Unknown	23 1	7.3	MOTOR VEHIC	LE CRASHES	:		
IMMUNIZATIONS	Birthweight <1,500 gm 1,500-2,499 gm	241 71	279.3 19.3	Note: These data are based on location of crash, not on residence.				
Children in Grades K-12 by Compliance Level	2,500+ gm Unknown	156 3	2.4	Type of Motor Vehicle Crash Total Crashes Alcohol-Related	Persons Injured	Persons Killed 805		
Compliant 966,627 Non-compliant 36,350 Percent Compliant 96.4	Perinatal			With Citation:				
	Mortality Total Perinatal Neonatal Fetal	Deaths 703 324	Rate 10.2 4.7	For OWI For Speeding Motorcyclist	2.049	36 14 78		
	Fetal	379	5.5	Bicyclist Pedestrian	1,115 1,461	9 50		

			Average		Charge				Average		Charge
DISEASE /		1,000	Stay		Per	DISEASE /		1,000	Stay		Per
AGE GROUP	Number	Р́ор	(Days)	Charge	Capita	AGE GROUP	Number	Р́ор	(Days)		Capita
Injury-Relate	d: All					 Alcohol-Relate	d				
Total	47,236	8.6	4.8	\$16,982	\$147	Total	13,301	2.4	3.9	\$5,488	\$13
<18	4,414	3.3		\$12,829	\$42	18-44	7,301	3.4	3.5	\$4,476	\$15
18-44	12,110	5.7	4.1		\$93	45-64	4,835	3.7	4.0	\$6,334	\$24
45-64	10,626	8.2	4 9	\$18,413	\$152	Pneumonia and	Influenza	017	110	φοίοσι	Ψ_ :
65+	20,086	28.3		\$17,489	\$495	Total	19,650	3.6	4.9	\$11,028	\$40
Injury: Hip	Fracture	20.0	0.4	Ψ17,400	Ψ-100		2,355	1.8	3.1	\$6,542	\$12
Total	5,559	1.0	5 0	\$19,851	\$20	45-64	3,370	2.6		\$12,009	\$31
65+	5,045	7.1		\$19,788	\$141	65+	12,299	17.3		\$11,639	\$202
Injury: Poi		/ • 1	0.0	Ψ19,700	ΨΙΨΙ	Cerebrovascula	r Disassa	17.0	5.0	Ψ11,009	ΨΖΟΖ
Total	4,158	0.8	2.4	\$7,066	\$5	Total	15,293	2.8	4.6	\$14,646	\$41
18-44	2,290	1.1	2.4	\$6,721	\$5 \$7	45-64	3,086	2.6	4.0		\$45
10-44	2,290	1.1	۷.۱	Φυ,/∠Ι	Φ/	45-64 65+	3,080	16.4	4.9 4.5	\$18,637	
lavabi atai a							11,621		4.5	\$13,089	\$215
Psychiatric	05 000		0.4	Φ7 000	Φ.Γ.Ο.	Chronic Obstru				Φ0 004	Φ04
Total	35,922	6.6	8.1	\$7,886	\$52	Total	12,679	2.3	3.9	\$8,861	\$21
<18	7,267	5.4	8.1	\$8,049	\$44	<18	1,765	1.3	2.0	\$4,166	\$5
18-44	17,402	8.2	7.6	\$6,800	\$56	18-44	1,543	0.7	3.0	\$7,295	\$5
45-64	6,905	5.4	8.7	\$8,425	\$45	45-64	2,853	2.2	4.0	\$9,643	\$21
65+	4,348	6.1	9.3	\$11,101	\$68	65+	6,518	9.2	4.6	\$10,162	\$93
						Drug-Related					
Coronary Hear	t Disease			_		Total	3,647	0.7	6.6	\$6,308	\$4
Total	31,614	5.8		\$25,858	\$150	18-44	2,325	1.1	4.8	\$4,948	\$5
45-64	10,853	8.4	3.4	\$26,547	\$223						
65+	19,284	27.2	4.3	\$25,710	\$699	Total Hospital:					
						Total	629,009		4.2	\$11,654	\$1,342
Malignant Neo						<18	108,059	80.7		\$5,467	\$441
Total	22,653	4.1	6.2	\$21,273	\$88	18-44	169,465	79.8	3.4	\$8,734	\$697
18-44	2.115	1.0	5.5	\$22,463	\$22	45-64	126,609	98.2	4.5	\$15,016	\$1,475
45-64	7,937	6.2	5.7	\$20,777	\$128	65+	224,876	317.1	5.1	\$14,936	\$4,737
65+	12,294	17.3	6.6	\$20,750	\$360		,			. ,	. ,
Neoplasms:	Femalé Brea	ast (ra	tes for	femále po	opulation)	PF	REVENTABLE	HOSPIT	ALIZATI	ONS*	
Total	2,032	0.7	2.1	\$11,938	\$9	Total	79,267	14.5	4.3		\$147
Neoplasms:				,	+ -	<18	8,647	6.5	2.5	\$5,614	\$36
Total	2,850	0.5	8.6	\$25,817	\$13	18-44	10,181	4.8	3.3	\$9,149	\$44
65+	2,048	2.9	9.1	\$26,972	\$78	45-64	15,695	12.2		\$11,390	\$139
Neoplasms:			5.1	\$20,01 <i>E</i>	Ψ. Ο	65+	44,744	63.1	4.8	\$10,826	\$683
Total	2,232	0.4	6.8	\$22,454	\$9	00.	77,777	00.1	7.0	Ψ10,020	ψοσο
Diabetes						 * Hospitalization:	s for cond	itions	where t	imely and	effecti
Total	6,753	1.2	⊿ 7	\$12,742	\$16	ambulatory care care	an reduce	the lib	olihood	of hoeni	talizati
65+	2,288	3.2	+. <i>1</i>	\$12,742	\$43	ambutatory care co	an reduce	CUE TTV	CTTHOOG	or moshi	calizati
001	2,200	3.2	5.0	ψιο, 200	ΨΨΟ	I					